




BASIN MIXER

SL220AV

Deck type basin mixer:
One hole, single lever, easy-clean aerator, 35mm citec cartridge, tubular fixation kit, 2 x 450mmx15mm flexible connectors, DZR brass, Ni: 8-10 Cr: 0.25-0.3, EPDM o-rings.

SABS 1480 (BS EN 1286)





HIGH RISE BASIN MIXER

SL220AVL

High rise basin mixer:
One hole, single lever, easy-clean aerator, 35mm citec cartridge, 2 x copper tube extensions, tubular fixation kit, 2 x 450mmx15mm flexible connectors, DZR brass, Ni: 8-10 Cr: 0.25-0.3, EPDM o-rings.

SABS 1480 (BS EN 1286)




SINK MIXER

SL301AV

Deck type sink mixer:
One hole, single lever, high swivel spout, easy-clean aerator, 35mm citec cartridge, tubular fixation kit, 2 x 450mmx15mm flexible connectors, DZR brass, Ni: 8-10 Cr: 0.25-0.3, EPDM o-rings.

SABS 1480 (BS EN 1286)




BIDET MIXER

SL240AV

Bidet mixer:
One hole, single lever, easy-clean aerator, 35mm citec cartridge, tubular fixation kit, 2 x 450mmx15mm flexible connectors, DZR brass, Ni: 8-10 Cr: 0.25-0.3, EPDM o-rings.

SABS 1480 (BS EN 1286)






CONCEALED BATH / SHOWER MIXER

SL100AV

Bath/Shower concealed mixer:
Sliding CP cover plate, 35mm citec cartridge, 2 x G1/2" FI inlets & 1 x G1/2" FI outlet, DZR brass, Ni-8-10 Cr: 0.25-0.3, EPDM o-rings.

SABS 1480 (BS EN 1286)




CONCEALED BATH / SHOWETR DIVERTER MIXER

SL105AV

Bath/Shower concealed diverter mixer:
Sliding CP cover plate, diverter push button, 35mm citec cartridge, 2 x G1/2" FI inlets & 2 x G1/2" FI outlets, DZR brass, Ni-8-10 Cr: 0.25-0.3, EPDM o-rings.

SABS 1480 (BS EN 1286)




COMPLETE BATH MIXER

SL120AVW

Exposed wall type bath mixer:
Two hole, single lever, with Diverter, G1/2" s-connectors adjustable from 128mm - 172mm centres. Supplied with hand shower, hose, wall bracket, 35mm citec cartridge, easy-clean aerator, DZR brass, Ni-8-10 Cr: 0.25-0.3, EPDM o-rings.

SABS 1480 (BS EN 1286)





WALL TYPE SINK MIXER

SL210AV

Wall type sink mixer:
Two hole, single lever, swivel spout 214mm, G1/2" s-connectors adjustable from 128mm - 172mm centres, 35mm citec cartridge & easy-clean aerator, DZR brass, Ni-8-10 Cr: 0.25-0.3, EPDM o-rings.

SABS 1480 (BS EN 1286)







FREESTANDING BATH MIXER

SL500AV

Freestanding bath mixer:
35mm citec cartridge, 2 x G1/2" FI inlets &
1 x G1/2" FI outlet, DZR brass,
Ni: 8-10 Cr: 0.25-0.3, EPDM o-rings.

SABS 1480 (BS EN 1286)




WALL MOUNTED BASIN MIXER

SL220AVW

Wall mounted basin mixer:
35mm citec cartridge, DZR brass,
Ni: 8-10 Cr: 0.25-0.3

SABS 1480 (BS EN 1286)



1. Citec cartridge

CITEC CARTRIDGES INCLUDE HIGH QUALITY CERAMIC DISKS WHICH ALLOW FOR SMOOTH ADJUSTMENT WHEN CHANGING THE TEMPERATURE & FLOW RATE OF THE WATER.

■ CITEC CARTRIDGE
keramic patrone




5. Chrome finish

A SUPERIOR CHROMING TECHNIQUE PROVIDES A BEAUTIFUL AESTHETIC APPEARANCE, EXCELLENT CORROSION RESISTANCE & AN EASIER SURFACE TO CLEAN.


■ 200 HOUR CHROME
Chrome



2. DZR brass

HIGH-GRADE DZR BRASS IS RESISTANT TO DEZINCIFICATION, A FORM OF CORROSION. THIS ENSURES THE MEISSEN PRODUCTS HAVE BETTER LONGEVITY.

■ DZR BRASS
dzt messing



6. 450mm braided hoses

PROVIDES MORE THAN ADEQUATE LENGTH FOR THE INSTALLER IN ORDER TO CONNECT TO THE WATER INLET SUPPLY.

■ 450MM BRAIDED HOSES
Dehnbare schläuche



3. Easy tubular fixations

PROVIDES THE INSTALLER WITH AN EASIER INSTALLATION; SIMPLY TIGHTEN THE FIXATION BY HAND. NO TOOLS REQUIRED.

■ EASY TUBULAR FIXATION SET
röhrenförmig fixierungen



15 YEAR GUARANTEE



4. Neoperl easy-clean aerator

ALLOWS FOR EASY CLEANING & REMOVAL OF DEBRIS CAUGHT IN THE AERATOR.

■ NEOPERL AERATOR
belüfter

